# **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1. (Currently amended) Method for inhibiting magnesium hydroxide scale formation on structural parts in contact with an aqueous salt containing medium in a desalination system comprising:

adding to said aqueous salt containing medium in the system a treatment without acid feed, said treatment comprising

(a) a phosphono functional polymer I including a repeat unit of the structure

wherein R<sub>1</sub> is H or lower alkyl of from about 1 to 6 carbon atoms and wherein X is OH, or OM wherein M is a cation; and wherein Mw for the phosphonate phosphono functional polymer (I) ranges from about 500 to 50,000 and wherein the phosphono functional polymer (I) was prepared by aqueous polymerization;

- b) a <u>maleic-acid based carboxylate containing polymer scale inhibiting agent H;</u> and
  - c) a dispersant;

wherein said aqueous salt containing medium comprises magnesium cations and hydroxide anions under conditions in which, in absence of treatment, Mg(OH)<sub>2</sub> scale would form on said structural parts;

#### Application No. 10/597,925; Docket No. 148761 Second Response to Final Action mailed 20 May 2010

whereby the method inhibits formation of Mg(OH)<sub>2</sub> scale on the structural parts of the desalination system—without the use of mineral acid-doping.

### 2. (Canceled)


- 3. (Previously presented) Method as recited in claim 1 wherein said phosphono functional polymer I comprises a second repeat unit formed from polymerization of a nonphosphonate monomer (F).
- 4. (Original) Method as recited in claim 3 wherein said non phosphonate monomer (F) is a member selected from the group consisting of (i) carboxylate monomers, (ii) sulfonate monomers, (iii) amides, and (iv) allylethers and sulfonate and phosphate allyl ethers.
- 5. (Previously presented) Method as recited in claim 4 wherein said non phosphonate monomer (F) is a carboxylate monomer, said phosphono functional polymer I and carboxylate polymer II being added to said aqueous medium in a combined amount I and II of about 1-500 ppm.

Claim 6. (Canceled)

# 7. (Canceled)

- 8 (Previously presented) Method as recited in claim 1 wherein said phosphonate phosphono functional polymer I is poly(isopropenylphosphonic acid).
- 9. (Previously presented) Method as recited in claim 1 wherein said phosphono functional polymer I is poly(vinylphosphonic acid).

10. (Previously presented) Method as recited in claim 1 wherein said phosphono functional polymer (I) comprises a copolymer having a repeat unit (F) of the structure



wherein R<sub>2</sub> is H or CH<sub>3</sub>, and R<sub>3</sub> is H or a cation.

- 11. (Canceled)
- 12. (Canceled)
- 13. (Canceled)
- 14. (Currently amended) Method of inhibiting magnesium hydroxide scale formation in a desalination system in which an aqueous salt containing medium is brought into contact with system equipment, comprising adding to said aqueous medium a treatment without acid feed comprising
- a) polymer of isopropenylphosphonic acid, wherein the polymer of isopropenylphosphonic acid was prepared by aqueous polymerization;
- b) a carboxylate containing polymer of aerylic acid and its salts; maleic acid and its salts and anhydride, and copolymers or mixtures thereof scale inhibiting agent,
  - c) a dispersant; and optionally a

### Application No. 10/597,925; Docket No. 148761 Second Response to Final Action mailed 20 May 2010

# e) phosphonate;

wherein said aqueous salt containing medium comprises magnesium cations and hydroxide anions under conditions in which, in absence of treatment, Mg(OH)<sub>2</sub> scale would form on said system equipment; and

whereby the method inhibits formation of Mg(OH)<sub>2</sub> scale on the system equipment of the desalination system without the use of mineral acid doping.

Claim 15. (Canceled)